

INDEX

PART QW

A-Numbers (listing), QW-442

Acceptance criteria

tension tests, QW-153

bend tests, QW-163

notch toughness, QW-171.2, QW-172.2

bend and hammer tests, QW-192.2

torque test, QW-192.3

Addenda (issuance of), QW-100.3

requalification of procedures, QW-100.3

Aluminum alloys, QW/QB-422

Austenitic stainless steels, QW/QB-422

AWS (reference to), QW-102

Backing (pertaining to performance qualification), QW-303.2, QW-303.3, QW-310.2, QW-310.3

Part IV — data, QW-402.2, QW-402.3, QW-402.4, QW-402.5, QW-402.7

definition, QW-492

Backing gas, QW-408.5, QW-408.8

Base metals (definition), QW-492

corrosion-resistance overlay cladding (pertaining to procedure qualification), QW-214.1

groove and fillet welds (pertaining to procedure qualification), QW-202.2, QW-211

stud welding, QW-202.3

variable, QW-403

Carbon steels, QW/QB-422

Combination of welding processes or procedures pertaining to performance qualification, QW-306

Consumable inserts, QW-404.22

Copper (copper-base alloys), QW/QB-422

Corrosion-resistant overlay cladding (pertaining to procedure qualification), QW-381

pertaining to performance qualification, QW-381

Definitions, QW-102, QW-490

Description of Section IX, QW-100

Dimensions

of welding groove with backing for performance qualification, QW-310.2

of welding groove without backing for performance qualification, QW-310.3

of tension test specimen, QW-462.1

of bend test specimen, QW-462.2

of test jigs, QW-466

of groove welds for procedure qualification, QW-212

Drawings (*see* Graphics)

Electrical characteristics, QW-409

Electrode gas welding (definition), QW-492

variables for procedure qualifications, QW-259

Electron beaming (pertaining to procedure qualification), QW-215

definition, QW-492

variables for procedure qualification, QW-260

variables for performance qualification, QW-362

Electroslag welding (definition), QW-492

variables for procedure qualification, QW-258

Essential variables (performance), QW-401.2

procedure, QW-251.2, QW-401.1

Etching, QW-470

Filler metals (pertaining to procedure qualification), QW-211, QW-404

Fillet-weld tests, QW-180

Flat position (definition), QW-121.1, QW-122.1, QW-131.1, QW-132.1

Flux, QW-404.9

F-Numbers (listing), QW-430

Forms (suggested), Appendix B

Fracture tests, QW-182

Full-section specimens, QW-151.4

Gas, QW-408

Gas tungsten-arc welding (definition), QW-492

variables for procedure qualification, QW-256

variables for performance qualification, QW-356

Gas welding (definition), QW-492

variables for procedure qualification, QW-256

variables for performance qualification, QW-356

Graphics, QW-460

test positions, QW-461

groove welds in plate, QW-461.3

- groove welds in pipe, QW-451.4
- fillet welds in plate, QW-461.5
- fillet welds in pipe, QW-461.6
- stud welds, QW-461.7
- test specimens, QW-462
 - tension — reduced section — plate, QW-462.1(a)
 - tension — reduced section — pipe, QW-462.1(b)
 - tension — reduced section — pipe alternate, QW-462.1(c)
 - tension — reduced section — turned specimen, QW-462.1(d)
 - tension — full section — small diameter pipe, QW-462.1(e)
 - side bend, QW-462.2
 - face and root bends transverse, QW-462.3(a)
 - face and root bends longitudinal, QW-462.3(b)
 - fillet welds — procedure, QW-462.4(a)
 - fillet welds — performance, QW-462.4(b)
 - fillet welds in pipe — performance, QW-462.4(c)
 - fillet welds in pipe — procedure, QW-462.4(d)
 - corrosion-resistant overlay, QW-462.5
 - composite test plates, QW-462.6
 - spot welds, QW-462.8–QW-462.11
- order of removal, QW-463
 - plates — procedure qualification, QW-463.1(a)
 - plates — procedure qualification alternate, QW-463.1(b)
 - plates — procedure qualification longitudinal, QW-463.1(c)
 - pipe — procedure qualification, QW-463.1(d)
 - pipe — procedure qualification alternate, QW-463.1(e)
 - pipe — notch toughness specimen location, QW-463.1(f)
 - plate — procedure qualification, QW-463.2(a)
 - plate — procedure qualification alternate, QW-463.2(b)
 - plate — procedure qualification longitudinal, QW-463.2(c)
 - pipe — performance qualification, QW-463.2(d)
 - pipe — performance qualification alternate, QW-463.2(e)
 - pipe — performance qualification 10 in. diameter, QW-463.2(f)
 - pipe — performance qualification 6 in. or 8 in. diameter, QW-463.2(g)
 - pipe — performance qualification fillet weld, QW-463.2(h)
- test jigs, QW-466
 - guided-bend, QW-466.1
 - guided-bend roller jig, QW-466.2
 - guided-bend wrap-around, QW-466.3
 - stud weld bend jig, QW-466.4
 - torque testing arrangement, QW-466.5
 - tensile test for studs, QW-466.6
- typical test joints, QW-469
 - butt joint, QW-469.1
 - alternative butt joint, QW-469.2
- Groove welds (pertaining to performance qualification), QW-303.1
 - with backing, QW-310.2
 - without backing, QW-310.3
- Guided-bend jig, QW-466.1
- Guided-bend roller jig, QW-466.2
- Guided-bend test (*see* Tests)
- Guided-bend wrap-around jig, QW-466.3
- Hard-facing overlay (pertaining to procedure qualification), QW-216
- Horizontal position, QW-121.2, QW-122.2, QW-131.2, QW-132.2
- Identification of welders and welding operators, QW-301.3
- Joints, QW-402
- Limits of qualified positions
 - procedures, QW-203
 - performance, QW-303, QW-461.9
- Longitudinal bend tests, QW-161.5–QW-161.7
- Macro-Examination, QW-183, QW-184
- Mechanical tests, QW-141, QW-202.1, QW-302.1
- Multiple positions, QW-122.3, QW-122.4, QW-132.4
- Nickel and nickel-base alloys, QW/QB-422
- Nonessential variables, QW-251.3
- Notch-toughness test, QW-170
- Order of removal, QW-463
- Orientation of welds, QW-110, QW-461.1
- Overhead position, QW-121.4, QW-131.4, QW-132.3
- Performance qualification, QW-300
- Performance qualification specimens, QW-452
- Pipe, test welds in, QW-302.3
- Pipe positions, QW-132
- Plasma-arc welding
 - variables for procedure, QW-257
 - variables for performance, QW-357
- Plate and pipe performance, QW-303.1–QW-303.4
- Plate and pipe procedure, QW-211
- P-Numbers, QW-200.3, QW/QB-422, Appendix D
- Positions of welds
 - plate and pipe groove welds

INDEX

- descriptions, QW-120–QW-123
- sketches and graphics, QW-460–QW-461
- plate and pipe fillet welds
 - descriptions, QW-130–QW-132
 - sketches and graphics, QW-460–QW-461
- limits of qualified positions
 - for procedures, QW-203
 - for performance, QW-303
- Performance variables, QW-405
- Postweld heat treatment, QW-407
- PQR, QW-201.2
- Preheat, QW-406
- Procedure qualification, QW-200
- Procedure qualification record, QW-201, QW-483
- Procedure qualification specimens, QW-451
- Processes, combination of, QW-200.4, QW-306
- Processes, special, QW-251.4
- Radiography, QW-142, QW-143, QW-191
 - acceptance criteria, QW-191.2
 - for performance qualification, QW-302.2, QW-304
 - retests and renewal of qualification, QW-320
- Records, QW-103.2
- Record of welder or welding operator qualification tests, QW-301.4, QW-484
- Reduced-section specimens, QW-151.1, QW-151.2
- Renewal of qualification, QW-322
- Requalification, QW-350
- Responsibility of records, QW-103.2
- Responsibility of welding, QW-103.1, QW-201
- Retests, QW-321
- Scope of Section IX, QW-101
- Shielding gas, QW-408.1, QW-408.2, QW-408.3, QW-408.4, QW-408.6
- Shielded metal-arc welding
 - variables for procedure, QW-253
 - variables, QW-353
- Sketches (*see* Graphics)
- S-Numbers, QW-420.2
- Specimens, QW-450
- Stud-weld bend jig, QW-466.4
- Stud welding
 - performance qualification specimens, QW-193
 - positions, QW-123.1, QW-461.6, QW-461.7, QW-461.8
 - procedure qualification specimens, QW-192
 - variables for procedure, QW-261
 - variables for performance, QW-361
- Submerged-arc welding
 - variables for procedure, QW-254
 - variables for performance, QW-354
- Supplementary essential variables, QW-251.2, QW-401.3
- Tables
 - Welding variables, QW-415, QW-416
 - P-Numbers, QW/QB-422
 - F-Numbers, QW-432
 - A-Numbers, QW-442
 - Procedure qualification specimens, QW-451
 - Performance qualification specimens, QW-452
 - Performance qualification limitations, QW-461.9
- Technique, QW-410
- Tension test, QW-150
- Terms and definitions, QW-102, QW-492
- Test assemblies, QW-301.1
- Test jigs, QW-466
- Test joints, QW-469.1, QW-469.2
- Tests
 - acceptance criteria
 - bend and hammer, QW-192.2
 - fracture tests, QW-182
 - guided bend, QW-163
 - macro-examination, QW-183, QW-184, QW-192.4
 - notch-toughness tests
 - Charpy V-notch, QW-171.2
 - drop weight, QW-172.2
 - radiography, QW-191.2.2
 - tension, QW-153
 - torque test, QW-192.3
 - description and procedure
 - fillet weld, QW-180
 - guided bend, QW-160
 - notch toughness, QW-170
 - Charpy V-notch, QW-171
 - drop weight, QW-172
 - radiographic, QW-191
 - stud weld, QW-192
 - tension, QW-150, QW-152
 - tensile strength, QW-153.1
 - for performance qualification, QW-100.2, QW-301
 - mechanical tests, QW-302.1
 - qualification tests, QW-301.2
 - for procedure qualification, QW-100.1, QW-202
 - mechanical tests, QW-202.1
 - test-joint preparation, QW-210
 - test positions for groove welds, QW-120
 - test positions for fillet welds, QW-130
 - test positions for stud welds, QW-123
 - types and purposes
 - fillet weld, QW-141.3
 - guided bend, QW-141.2, QW-160, QW-162, QW-451, QW-452, QW-462
 - mechanical, QW-141
 - notch toughness, QW-141.4
 - drop weight, QW-172.1
 - radiographic, QW-142, QW-143

- special examination for welders, QW-142
- stud weld, QW-141.5
- tension, QW-141.1, QW-451, QW-462
- visual, QW-302.4
- Thickness, QW-310.1, QW-351, QW-451, QW-452
- Titanium, QW/QB-422
- Torque testing for stud welds, QW-466.5
- Transverse bend tests, QW-161.1–QW-161.4
- Turned specimens, QW-151.3
- Variables, QW-250, QW-350
 - base metals, QW-403
 - electrical characteristics, QW-409
 - electrode gas welding (EGW), QW-259
 - electron beam welding (EBW), QW-260
 - electroslag welding (ESW), QW-258, QW-258.1
 - filler metals, QW-404
 - for welding operator, QW-360
 - gas, QW-408
 - gas metal-arc welding (GMAW) (MIG), QW-255, QW-255.1, QW-355
 - gas tungsten-arc welding (GTAW) (TIG), QW-256, QW-256.1, QW-356
 - general, QW-251, QW-351, QW-401
 - joints, QW-402
 - oxyfuel gas welding (OFW), QW-252, QW-252.1, QW-352
 - performance essential variable table, QW-416
 - plasma-arc welding (PAW), QW-257, QW-257.1, QW-359
 - positions, QW-405
 - postweld heat treatment (PWHT), QW-407
 - preheat, QW-406
 - procedure essential variable table, QW-415
 - shielded metal-arc welding (SMAW) (STICK), QW-253, QW-253.1, QW-353
 - stud welding, QW-261, QW-361
 - submerged-arc welding (SAW), QW-254, QW-254.1, QW-354
 - technique, QW-410
- Vertical position, QW-121.3, QW-131.3
- Welders and welding operators, QW-304, QW-305
- Welding Procedure
 - Specification, QW-200.1(a), QW-482
- WPS qualification tests, QW-202.2
- Addenda (issuance of), QB-100.3
 - requalification of procedures, QB-100.3
- AWS, QB-102
- Base metal, QB-211
- Base metal — variables, QB-402
- BPS, QB-482
- Brazers, QB-304
- Brazing operators, QB-305
- Definitions, QB-102, QB-490
- F-Numbers, QB-430
- Filler metal — variable, QB-403
- Filler flow position, QB-121
- Flow direction — variables, QB-407
- Flow positions, QB-461
- Flux and atmospheres (variables), QB-406
- Forms, Appendix B
- Graphics, QB-460
- Guided bend test, QB-141.2, QB-160
- Horizontal flow position, QB-124
- Jigs, QB-162.1
- Jigs — graphics, QB-466
- Joints, QB-210, QB-310
- Joint design — variables, QB-408
- Longitudinal bend test, QB-161.3, QB-161.4
- Manufacturer's responsibility, QB-201
- Order of removal — graphics, QB-463
- Orientation, QB-110, QB-461
- P-Numbers, QB-420
- Peel test, QB-141.3, QB-170
- Performance qualifications, Article XIII, QB-100.2
- Performance qualification tests, QB-301.1
- Position, QB-120
- Position — graphics, QB-460
- PQR, QB-201.2, QB-483
- Preparation of test joints, QB-210
- Procedure qualifications, Article XII, QB-100.1
- Records, QB-103.2, QB-301.4

PART QB

- Acceptance Criteria
 - tension test, QB-153
 - bend tests, QB-163
 - peel test, QB-172

INDEX

Reduced section, QB-151.1, QB-151.2, QB-151.3
Renewal of qualification, QB-322
Responsibility, QB-103, QB-201

Scope, QB-101

Sectioning test, QB-141.4, QB-181

Shear test, QB-141.1

Specimens

tension test, QB-151

guided-bend test, QB-161

peel test, QB-171

sectioning test, QB-181

workmanship sample, QB-182

for procedure qualification, QB-451

for performance qualification, QB-452

graphics, QB-462, QB-463

Temperature — variable, QB-404

Tension test, QB-141.1, QB-150

Test, QB-141

for procedure qualification, QB-202.1, QB-451

for performance qualification, QB-2-2.1, QB-451

positions, QB-120

flat-flow positions, QB-121

horizontal-flow positions, QB-124

vertical-downflow, QB-122

vertical-upflow, QB-123

Transverse bend tests, QB-161.1, QB-161.2

Variables

base metal, QB-402

brazing filler metal, QB-403

brazing flux, fuel gas or atmosphere, QB-406

brazing process, QB-405

brazing temperature, QB-404

data, QB-400

flow position, QB-407

joint design, QB-408

Vertical downfall position, QB-122

Vertical uphill position, QB-123

Workmanship samples, QB-141.5

Copyright ASME International
Provided by IHS under license with ASME
No reproduction or networking permitted without license from IHS